INTRODUCTION:

The examination covered by this report included the timbered areas of Blocks 617, 504, 274, 566 and 263, Newcastle District, Vancouver Island. The stage of development, logged, felled and bucked, and standing timber areas at the time of the examination are shown on the accompanying plan. Blocks 274, 198, 234, 256, 267 and Lot 88, in addition to all those blocks listed above, contain areas of sixty year old second growth and scattered seed trees as shown on the plan. An estimate of the timber remaining in Block 276 was made from the aerial survey information.

The accompanying map also shows the felled and bucked, logged, and timbered areas as they existed in September 1945.

C. D. SCHULTZ & COMPANY LIMITED

D. R. Bakewell
D. R. Bakewell

C. W. Walker
C. W. Walker

C. D. Schultz
C. D. Schultz

Dated at Vancouver
December, 1948.

# CONTENTS


| | | Page |
|---|---|---|
| A. | Method of Examination..... | 1 |
| B. | Summary of Volumes: | |
| | 1. Standing Timber | 3 |
| | (a) 12 to 18 inches d.b.h..... | 3 |
| | (b) 18 inches d.b.h. and over..... | 4 |
| | (c) 12 inches d.b.h. and over..... | 4 |
| | 2. Timber logged September 1945 to November 1948 | |
| | (a) Volumes by species..... | 5 |
| | (b) Volumes by Log grades..... | 5 |
| | 3. Standing, Felled and Cold decked Timber as at November 1948..... | 5 |
| | 4. Timber Inventory as at September 1945..... | 6 |
| C. | Block 617: | |
| | 1. General description and topography..... | 6 |
| | 2. Condition of Timber..... | 6 |
| | 3. Logging Conditions..... | 7 |
| | 4. Summary of Volumes by Species..... | 9 |
| D. | Block 504: | |
| | 1. General description and topography..... | 9 |
| | 2. Condition of Timber..... | 9 |
| | 3. Logging Conditions..... | 9 |
| | 4. Summary of Volumes by Species..... | 11 |
| E. | Block 263: | |
| | 1. General description and topography..... | 11 |
| | 2. Condition of Timber..... | 11 |
| | 3. Logging Conditions..... | 11 |
| | 4. Summary of Volumes by Species..... | 13 |
| F. | Block 566: | |
| | 1. General description and topography..... | 13 |
| | 2. Condition of Timber..... | 13 |
| | 3. Logging Conditions..... | 13 |
| | 4. Summary of Volumes by Species..... | 15 |
| G. | Block 274: | |
| | 1. General description and topography..... | 15 |
| | 2. Condition of Timber..... | 15 |
| | 3. Logging Conditions..... | 15 |
| | 4. Summary of Volumes by Species..... | 17 |
| H. | Block 276..... | 17 |
| I. | Estimates of Felled and Bucked and Cold Decked Timber.. | |

Page

J. Government Scale Returns from areas logged between September 1945 and November 1948:
1. Area Logged..... 18
2. Grades and Volumes of Timber Logged..... 19
3. Average Volume of Timber per acre Logged..... 19

K. Second Growth Timber..... 20

L. Valuation of Immature Stands on Logged and Unlogged Areas..... 20

M. Classification of Areas..... 21

N. Valuation of Immature Timber..... 22

## APPENDIX

Photographs..... 23

Summary Sheets..... 26

Map (Scale 4 inches to 1 mile)..... 37

Oblique Air Photographs
(in envelope attached to back cover)

A. METHOD OF EXAMINATION.

(a) Control:

Existing British Columbia Land Surveys were used as control for the field examination.

(b) Examination Strips:

Examination strips were run from existing Land Surveys and spaced twenty (20) chains, or thirteen hundred and twenty (1320) feet apart in Block 617, and ten (10) chains, or six hundred and sixty (660) feet apart in Block 504. Single strips were run through the small isolated areas of timber in Blocks 504, 274 and 566. The examination strips were run with box compass and surveyors chain.

(c) Timber Tallies:

By tallying trees for a distance of one half-chain, or thirty-three (33) feet, on each side of the cruise examination lines, the timber was recorded on five percent (5%) of the timbered areas of Blocks 617 and 566, and on ten percent (10%) of the timbered areas of Blocks 504 and 274.

(d) Tally Records:

The diameters breast high of all sound trees on the tally strips were estimated. These estimates were checked frequently by diameter tape measurements. All merchantable timber twelve inches (12") diameter breast high and over, was tallied for volume conversion.

(e) Gross Volumes:

Volumes of trees tallied were compiled from volume tables. The volume compiled from the tallied area was then applied to the adjacent untallied timber.

(f) Volume Tables:

British Columbia Forest Service Volume Tables were used as a base. Height and diameter measurements were taken of sample trees in each area as a basis for application of these tables.

(g) Breakage and Cull Factors:

Deductions were made for breakage and defect from inspection of ground and timber conditions. Average deductions applied were as follows: Cedar and Hemlock 30%; Balsam and Fir 20%.

(h) Net Volume:

Net volumes were derived by deducting the breakage and cull volumes from the calculated gross volumes. Net volume is, therefore, the estimated recoverable quantity of timber remaining after making these deductions.

(i) Aerial Surveys and Planimetric Maps:

Photographs of the whole area were taken by Royal Canadian Air Force on September 8, 1945, and by Aero Surveys Limited on November 22, 1948.

Photo interpretation was by C. D. Schultz & Company Limited.

Planimetric mapping was by Aero Surveys Limited.

B. SUMMARY OF VOLUMES (in M.B.M.)

1. Standing Timber:

(a) 12 to 18 inches d.b.h.

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 1052 | 826 | 25.0 |
| Balsam | 1858 | 1606 | 48.6 |
| Fir | 299 | 260 | 7.7 |
| Cypress | 475 | 315 | 9.5 |
| Cedar | 372 | 259 | 8.1 |
| White Pine | 44 | 36 | 1.1 |
| TOTALS | 4100 | 3302 | 100.0 |

Area: ..... 916.6 acres

Average Volume:... 3.6 M.B.M. per acre

(b) 18 inches d.b.h. and over.

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 18114 | 12722 | 42.5 |
| Balsam | 2893 | 2356 | 7.8 |
| Fir | 11951 | 9755 | 32.5 |
| Cypress | 1769 | 1199 | 4.0 |
| Cedar | 5424 | 3816 | 12.7 |
| White Pine | 193 | 151 | 0.5 |
| TOTALS | 40344 | 29999 | 100.0 |

Area: ....., 916.6 acres

Average Volume: ... 32.7 M.B.M. per acre

(c) 12 inches d.b.h. and over.

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 19166 | 13548 | 40.8 |
| Balsam | 4751 | 3962 | 11.9 |
| Fir | 12250 | 10015 | 30.0 |
| Cypress | 2244 | 1514 | 4.5 |
| Cedar | 5796 | 4075 | 12.2 |
| White Pine | 237 | 187 | 0.6 |
| TOTALS | 44444 | 33301 | 100.0 |

Area:..... 916.6 acres

Average Volume: 36.3 M.B.M. per acre

2. Timber Logged September 1945 to November 1948.

(a) Volumes by Species.

| Species | Volume | Percent |
|---|---|---|
| Fir | 8,286,654 | 49.56 |
| Cedar | 3,977,877 | 23.79 |
| Hemlock | 2,757,927 | 16.49 |
| Spruce | 22,360 | 0.13 |
| Pine | 106,492 | 0.64 |
| Cypress | 253,568 | 1.52 |
| Balsam | 1,315,526 | 7.87 |
| Cottonwood | 620 | - |
| TOTAL | 16,721,024 | 100.0 |

(b) Volumes by log grades.

| Grade | No. 1 | No.2 | No. 3 | Ungraded | Total |
|---|---|---|---|---|---|
| Volume (all species) | 1,192,033 | 8,298,434 | 5,914,411 | 1,316,146 | 16,721,024 |
| Percent | 7.13 | 49.63 | 35.37 | 7.87 | 100.0 |

Note: For details of grades by species see page 19.

3. Standing, felled, and cold decked timber as at November, 1948.

| | |
|---|---|
| Standing timber cruised (18 inches d.b.h. and over) | 29,999 M.B.M. |
| Additional standing timber, Block 504, estimated | 400 M.B.M. |
| Standing timber, Block 276, estimated | 4,500 M.B.M. |
| Felled and Bucked timber, estimated | 4,500 M.B.M. |
| Cold decked timber, estimated | 400 M.B.M. |
| | 39,799 M.B.M. |

Is this all 18" +

4. Timber Inventory as at September 1945.

| | |
|---|---|
| Present volumes (from B-3 above) | 39,799 M.B.M. |
| Volumes logged September 1945 to November 1948 (from B-2 above) | 16,721 M.B.M. |
| TOTAL: | 56,520 M.B.M. |

d.b.h. 18 +

did this make it a salvage location

Thinks 18" doesn't know

C. BLOCK 617.

1. General Description and Topography:

The remaining timber in Block 617 is on moderately steep ground which is broken by three large creeks. A narrow fringe of timber lies outside the south-western boundaries of the Block.

2. Condition of Timber:

Of the total volume of merchantable timber on this block, 90 percent is old growth and 10 percent is second growth and smaller trees. The old growth will produce high quality logs with a fair percentage of peeler grades. The fir should run 70 percent No. 1 and No. 2 grades, the cedar 55 percent, and the hemlock 35 percent.

As in the case of all old growth stands, some defects were observed. Butt rot occurs, to some extent, in some trees of all species, and conk rot in some of the hemlock. Deductions for these defects, and estimated breakage, were made from gross volumes. This procedure was followed throughout the examination of all blocks.

The second growth consists of thrifty hemlock, balsam, cedar and fir from 10 to 20 inches d.b.h. Second growth volumes run from 20 to 30 M.B.M. per acre. Most second growth areas also contain scattered old growth fir, cedar, and hemlock seed trees.

3. Logging Conditions:

Truck roads may be built to log all the timber in Block 617. As the remaining timber in Block 617 lies between 1500 and 3000 feet in elevation, the logging season should be short.

4. Summary of Volumes by Species:

(a) 12" to 18" d.b.h. (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 726 | 575 | 27.0 |
| Balsam | 1,366 | 1,205 | 56.7 |
| Fir | 26 | 22 | 1.0 |
| Cypress | 363 | 237 | 11.1 |
| Cedar | 128 | 89 | 4.2 |
| White Pine | - | - | - |
| TOTAIS | 2,609 | 2,128 | 100.0 |

Area:..... 495.9 acres

Average volume per acre: 4.3 M.B.M. per acre

(b) 18" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 15,835 | 11,106 | 59.7 |
| Balsam | 2,549 | 2,082 | 11.2 |
| Fir | 2,891 | 2,258 | 12.1 |
| Cypress | 1,314 | 905 | 4.9 |
| Cedar | 3,040 | 2,128 | 11.4 |
| White Pine | 158 | 123 | 0.7 |
| TOTAIS | 25,787 | 18,602 | 100.0 |

Area: ..... 495.9 acres

Average volume per acre: 37.5 M.B.M. per acre.

(c) 12" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volumes. |
|---|---|---|---|
| Hemlock | 16,561 | 11,681 | 56.3 |
| Balsam | 3,915 | 3,287 | 15.9 |
| Fir | 2,917 | 2,280 | 11.0 |
| Cypress | 1,677 | 1,142 | 5.5 |
| Cedar | 3,168 | 2,217 | 10.7 |
| White Pine | 158 | 123 | 0.6 |
| TOTALS | 28,396 | 20,730 | 100.0 |

Area: ..... 495.9 acres

Average volume per acre:.. 41.8 M.B.M. per acre

D. BLOCK 504.

1. General Description and Topography:

The timber in Block 504 lies on moderately steep hillsides below 1800 feet elevation. The Tsable River Logging Company uses Block 504 for its winter logging operations.

2. Condition of Timber:

Old growth fir comprises 85 percent of the total volume of timber over 18 inches d.b.h. There is evidence of very little defect in this species and losses due to breakage will be small. The fir will run about 70 percent No. 1 and 2 grades including a high percentage of peeler logs.

Most of the timbered area has an understory of 60 to 70 year old second growth. The burned area shown on the plan contains scattered seed trees.

3. Logging Conditions:

Remaining timber may be removed by already constructed or projected roads. Logging Conditions are favourable.

4. Summary of Volumes by Species:

(a) 12" to 18" d.b.h. (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 136 | 112 | 21.6 |
| Balsam | 60 | 49 | 9.5 |
| Fir | 229 | 201 | 38.7 |
| Cypress | 1 | 1 | 0.2 |
| Cedar | 172 | 121 | 23.3 |
| White Pine | 43 | 35 | 6.7 |
| TOTALS | 641 | 519 | 100.0 |

Area:..... 256.6 acres

Average volume per acre:... 2.0 M.B.M. per acre.

(b) 18" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 135 | 112 | 1.2 |
| Balsam | - | - | - |
| Fir | 7,716 | 6,367 | 84.9 |
| Cypress | - | - | - |
| Cedar | 1,440 | 1,027 | 13.8 |
| White Pine | 8 | 7 | 0.1 |
| TOTALS | 9,299 | 7,513 | 100.0 |

Area: ..... 256.6 acres

Average volume per acre: 29.3 M.B.M. per acre

(c) 12" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 271 | 224 | 2.8 |
| Balsam | 60 | 49 | 0.6 |
| Fir | 7,945 | 6,568 | 81.8 |
| Cypress | 1 | 1 | - |
| Cedar | 1,612 | 1,148 | 14.3 |
| White Pine | 51 | 42 | 0.5 |
| TOTALS | 9,940 | 8,032 | 100.0 |

Area: 256.6 acres

Average volume per acre: 31.3 M.B.M. per acre

Note: The air survey indicates that 16 acres of merchantable timber still remain on the east bank of the Tsable River in the south western part of Block 504. The 16 acres contain an estimated volume of 400 M.B.M. in addition to volumes shown above.

E. BLOCK 263.

1. General Description and Topography:

The timber in Block 263 is on moderately sloping ground.

2. Condition of Timber:

This timber is similar in quality to the timber on Block 504.

3. Logging Conditions:

Timber in Block 263 is easily accessible to the already constructed road in Block 504. Logging conditions are favourable.

4. Summary of Volumes by Species:

(a) 12" to 18" d.b.h. (M.B.M.)

| Species | Gross | Net | Percentage of Volume. |
|---|---|---|---|
| Hemlock | 22 | 20 | 19.4 |
| Balsam | 15 | 13 | 12.6 |
| Fir | 39 | 34 | 33.0 |
| Cypress | - | - | - |
| Cedar | 49 | 35 | 34.0 |
| White Pine | 1 | 1 | 1.0 |
| TOTALS | 126 | 103 | 100.0 |

Area: ..... 29.6 acres

Average volume per acre: ..... 3.5 M.B.M. per acre.

(b) 18" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 29 | 24 | 2.0 |
| Balsam | - | - | - |
| Fir | 1127 | 958 | 80.3 |
| Cypress | - | - | - |
| Cedar | 296 | 207 | 17.4 |
| White Pine | 4 | 3 | 0.3 |
| TOTALS | 1456 | 1192 | 100.0 |

Area: ..... 29.6 acres.

Average volume per acre: 40.3 M.B.M. per acre

(c) 12" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 51 | 44 | 3.4 |
| Balsam | 15 | 13 | 1.0 |
| Fir | 1166 | 992 | 76.6 |
| Cypress | - | - | - |
| Cedar | 345 | 242 | 18.7 |
| White Pine | 5 | 4 | 0.3 |
| TOTALS | 1582 | 1295 | 100.0 |

Area: ..... 29.6 acres

Average volume per acre: 43.8 M.B.M. per acre

Note: The above estimates of volumes are based on the cruise of similar timber on Forty #1, Block 504.

F. BLOCK 566.

1. General Description and Topography:

The timber in Block 566 is on moderately sloping ground. A deep creek valley isolates the northern fringe of the stand.

2. Condition of Timber:

The comparatively minor volume remaining on this block is old growth hemlock, cedar and cypress. The percentage of No. 1 and 2 log grades, by species, will be approximately as follows:

Hemlock..... 35%
Cedar..... 50%
Cypress..... 26%

3. Logging Conditions:

Timber is accessible to an extension of the present road in Block 566. Logging conditions are favourable.

4. Summary of Volumes by Species:

(a) 12" to 18" d.b.h. (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 154 | 110 | 22.3 |
| Balsam | 367 | 299 | 60.7 |
| Fir | 5 | 3 | 0.6 |
| Cypress | 105 | 73 | 14.8 |
| Cedar | 14 | 8 | 1.6 |
| White Pine | - | - | - |
| TOTALS | 645 | 493 | 100.0 |

Area: ..... 116.4 acres.

Average volume per acre:.... 4.3 M.B.M. per acre.

(b) 18" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 2055 | 1438 | 61.6 |
| Balsam | 273 | 217 | 9.3 |
| Fir | 19 | 14 | 0.6 |
| Cypress | 388 | 247 | 10.6 |
| Cedar | 588 | 412 | 17.8 |
| White Pine | 5 | 3 | 0.1 |
| TOTALS | 3328 | 2331 | 100.0 |

Area: 116.4 acres

Average volume per acre: 20.0 M.B.M. per acre

(c) 12" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 2209 | 1548 | 54.8 |
| Balsam | 640 | 516 | 18.3 |
| Fir | 24 | 17 | 0.6 |
| Cypress | 493 | 320 | 11.3 |
| Cedar | 602 | 420 | 14.9 |
| White Pine | 5 | 3 | 0.1 |
| TOTALS | 3973 | 2824 | 100.0 |

Area: ..... 116.4 acres

Average volume per acre: 24.3 M.B.M. per acre.

G. BLOCK 274.

1. General Description and Topography:

The timber in Block 274 lies on a moderate slope. It borders timber in the Esquimalt and Nanaimo Railway lands of Block 801.

2. Condition of Timber:

The very minor quantity of timber remaining in Block 274 is short old growth. The fir will run approximately 50 percent No. 1 and No. 2 grades and the cedar 45 percent. The hemlock is relatively free from defect but the small size of this timber will result in a high percentage of Nc. 3 grade logs. Most of the timbered area has an understory of reproduction and second growth.

3. Logging Conditions:

Logging conditions are favourable. Timber is accessible to the present road system.

4. Summary of Volumes by Species:

(a) 12" to 18" d.b.h. (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 14 | 9 | 15.2 |
| Balsam | 50 | 40 | 67.7 |
| Fir | - | - | - |
| Cypress | 6 | 4 | 6.8 |
| Cedar | 9 | 6 | 10.3 |
| White Pine | - | - | - |
| TOTALS | 79 | 59 | 100.0 |

Area: ..... 18.1 acres.

Average volume per acre: 3.3 M.B.M. per acre.

(b) 18" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 60 | 42 | 11.6 |
| Balsam | 71 | 57 | 15.8 |
| Fir | 198 | 158 | 43.8 |
| Cypress | 67 | 47 | 13.0 |
| Cedar | 60 | 42 | 11.6 |
| White Pine | 18 | 15 | 4.2 |
| TOTALS | 474 | 361 | 100.0 |

Area: ..... 18.1 acres.

Average volume per acre: 20.0 M.B.M. per acre

(c) 12" d.b.h. and over (M.B.M.)

| Species | Gross | Net | Percentage of Volume |
|---|---|---|---|
| Hemlock | 74 | 51 | 12.1 |
| Balsam | 121 | 97 | 23.1 |
| Fir | 198 | 158 | 37.6 |
| Cypress | 73 | 51 | 12.1 |
| Cedar | 69 | 48 | 11.5 |
| White Pine | 18 | 15 | 3.6 |
| TOTALS | 553 | 420 | 100.0 |

Area: ..... 18.1 acres.

Average volume per acre: 23.3 M.B.M. per acre

H. BLOCK 276.

The planimetric air survey map indicates that 180 acres of merchantable timber remain in Block 276. If the average volume is 25 M.B.M. per acre, (a conservative estimate in our opinion), the volume of remaining timber is 4,500 M.B.M.

1. ESTIMATES OF FELLED AND BUCKED AND COLD-DECKED TIMBER.

These calculations are based on average volumes per acre of adjacent timber 18 inches d.b.h. and over. This diameter appears to be the minimum utilized in the present logging operation.

| | Felled and Bucked | Cold-Decked |
|---|---|---|
| Block 617 | 1,140 M.B.M. | |
| Block 504 | 2,840 M.B.M. | |
| Block 566 | 120 M.B.M. | 400 M.B.M. |
| Block 274 | 140 M.B.M. | |
| Block 263 | 260 M.B.M. | |
| TOTALS | 4,500 M.B.M. | 400 M.B.M. |

## J. GOVERNMENT SCALE RETURNS FROM AREAS LOGGED BETWEEN SEPTEMBER 1945 and NOVEMBER 1948.

1. Area Logged:

From aerial photographs taken in September 1945, and November 1948, and from ground examinations, we find the following areas were logged during the intervening period:

| Block | Area (acres) |
|---|---|
| 617 | 95 |
| 504 | 206 |
| 274 | 76 |
| 566 | 154 |
| 263 | 6 |
| 234 | 18 |
| E & N Land (1) | 12 |
| Total | 567 |

Note: (1) No timber mark allotted in "Timber and Hand Logger Marks", Volume 1, List No. 127, corrected to June 30th, 1948.

2. Grades and Volumes of Timber Logged (Volume f.b.m.)

| GRADE | No. 1 | No. 2 | No. 3 | Ungraded | Total | Percent of Total Volume. |
|---|---|---|---|---|---|---|
| Fir Volume | 822,767 | 5,266,294 | 2,197,593 | - | 8,286,654 | 49.56 |
| Percent | 9.93 | 63.55 | 26.52 | - | 100.0 | |
| Cedar Volume | 230,188 | 1,978,929 | 1,768,760 | - | 3,977,877 | 23.79 |
| Percent | 5.79 | 49.75 | 44.46 | - | 100.0 | |
| Hemlock Volume | 137,093 | 951,982 | 1,668,852 | - | 2,757,927 | 16.49 |
| Percent | 4.97 | 34.52 | 60.51 | - | 100.0 | |
| Spruce Volume | - | 6,194 | 16,166 | - | 22,360 | 0.13 |
| Percent | - | 27.70 | 72.30 | - | 100.0 | |
| Pine Volume | - | 30,317 | 76,175 | - | 106,492 | 0.64 |
| Percent | - | 28.47 | 71.53 | - | 100.0 | |
| Cypress Volume | 1,985 | 64,718 | 186,865 | - | 253,568 | 1.52 |
| Percent | 0.78 | 25.52 | 73.70 | - | 100.0 | |
| Balsam Volume | - | - | - | 1,315,526 | 1,315,526 | 7.87 |
| Percent | - | - | - | 100.0 | 100.0 | |
| Cottonwood Volume | - | - | - | 620 | 620 | - |
| Percent | - | - | - | 100.0 | 100.0 | |
| TOTAL VOLUME | 1,192,033 | 8,298,434 | 5,914,411 | 1,316,146 | 16,721,024 | 100.0 |
| PERCENT | 7.13 | 49.63 | 35.37 | 7.87 | 100.0 | |

.3. Average Volume of Timber per acre:

Logged:

On the area logged since 1945 the average volume is 29.5 M.B.M. per acre.

K. SECOND GROWTH TIMBER.

Areas of 60 to 70 year old second growth are found in all Blocks covered by this report. Scattered seed trees, averaging one per acre, are found in most of the second growth areas.

The areas marked "LOGGED" in Block 267 and Lot 88 are partially restocked with 10-year old reproduction averaging 500 per acre.

L. VALUATION OF IMMATURE STANDS ON LOGGED AND UNLOGGED AREAS.

(1) See Notes Below.

| Age Class | Value per Acre (Dollars) | Area (Acres) | Total Value (Dollars) |
|---|---|---|---|
| Recently logged | $2.00 | 695 (2) | $1,390.00 |
| 5-15 | 7.00 | 4,074 (3) | 28,518.00 |
| 15-25 | 12.50 | 586 (4) | 7,325.00 |
| 55-65 | 28.00 | 214 (5) | 5,992.00 |
| | | | $43,225.00 |

Notes:

1. Refer to page 21 for Classification of Areas and to page 22 for Valuation of Immature Timber.
2. Areas logged since September 1945 and areas of felled and bucked as at November 1948.
3. Areas logged prior to September 1945 and areas of seed trees.
4. Areas of reproduction.
5. Areas of second growth excluding those of Block 617 which are included in timber estimates.

M.

## CLASSIFICATION OF AREAS (ACRES)

| TYPE | BLOCKS 198 | 234 | 256 | 263 | 267 | 274 | 276 | 504 | 566 | 617 | Lot 88 | Total | Percent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mature Timber | - | - | - | 30 | - | 6 | - | 180 | - | 320 | - | 536 | 7.6 |
| Small Mature Timber | - | - | - | - | - | 6 | 180 | 16 | 84 | 6 | - | 292 | 4.2 |
| Small Mature Timber and Reproduction | - | - | - | - | - | - | - | 48 | - | - | - | 48 | 0.7 |
| Small Mature Timber and Second Growth | - | - | - | - | - | 8 | - | - | - | - | - | 8 | 0.1 |
| Scattered Mature Timber | - | - | - | - | - | - | - | - | 34 | 118 | - | 152 | 2.2 |
| Scattered Mature Timber and Reproduction | - | - | - | - | - | - | - | 70 | - | - | - | 70 | 1.0 |
| Second Growth | 20 | 40 | 6 | 10 | 48 | 6 | 8 | 2 | 6 | 52 | 68 | 266 | 3.8 |
| Reproduction (Coniferous and/or Deciduous) | 217 | - | 24 | - | 3 | - | - | 6 | - | - | 336 | 586 | 8.4 |
| Logged since September 1945 | - | 18 | - | 6 | - | 76 | - | 206 | 154 | 95 | - | 555 | 7.9 |
| Logged and/or burned prior to September 1945 | 92 | 169 | 321 | 129 | 551 | 333 | 1319 | 734 | 203 | 89 | 108 | 4048 | 57.6 |
| Felled and Bucked | - | - | - | 6 | - | 4 | - | 80 | 6 | 44 | - | 140 | 2.0 |
| Non-Commercial Cover (Seed Trees, Brush, etc.) | - | - | - | 10 | - | 14 | - | 2 | - | - | - | 26 | 0.4 |
| Scrub | 60 | - | 36 | - | 34 | - | 23 | 28 | - | 52 | - | 233 | 3.3 |
| Swamp | - | 13 | - | - | - | - | - | - | - | 8 | 28 | 49 | 0.7 |
| Water | - | - | - | - | - | - | - | - | - | 6 | - | 6 | 0.1 |
| TOTAL | 389 | 240 | 387 | 191 | 636 | 453 | 1530 | 1372 | 487 | 790 | 540 | 7015 | 100.0 |
| Percent | 5.5 | 3.4 | 5.5 | 2.7 | 9.1 | 6.4 | 21.8 | 19.6 | 7.0 | 11.3 | 7.7 | 100.0 | |

N. VALUATION OF IMMATURE TIMBER.

COPY.

The Government of the Province of British Columbia

Forest Service

Victoria, B.C.

December 20th, 1948.

File: 04170

Mr. R.P.Baldwin,
Bank of Nova Scotia Building,
602 West Hastings,
Vancouver, B.C.

Dear Sir:

Reference is made to your letter of December 15th, in which you request us to give you an estimate of the value of a 60-year old stand of Douglas fir in the South Coastal Region.

When submitting final fire reports our field staff is required to furnish an estimate of the damage and in the case of immature stands a schedule of values is supplied. These values are based on average stumpage prices over a period of years, the merchantable volume that may be expected at rotation age, and this final yield discounted back over the years to get a value for the intervening years. For example, for the Douglas fir stands on the South Coast the table shows values as follows:-

| Age | Value per acre |
|---|---|
| 10 | $10.50 |
| 20 | 12.50 |
| 30 | 15.50 |
| 40 | 19.00 |
| 60 | 28.00 |
| 80 | 41.00 |
| 100 | 61.00 |

The values listed above were being used in 1944.

We trust that this is the information you require.

Yours truly,

F.S. McKinnon,
Forester.

FSM:pk


# APPENDIX



Block 617, Logging Operations.



Block 566, looking North-west and showing logged area and standing timber.



Block 617 looking South-east and showing felled and bucked and burn in Eastern part of Block.



Block 617 looking South and showing Timber and second growth in Forty 13.



Block 566 showing second growth Balsam Poles.

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE SUMMARY.

DATE DECEMBER 1948.

500-11-48. M.P.

| | AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | |
| BLOCK 617 | | 495.9 | 294.1 | 790.0 | 5396 | 726 | 151 | 575 | 8245 | 1366 | 161 | 1205 | 338 | 26 | 4 | 22 | 3387 | 363 | 126 | 237 | 723 | 128 | 39 | 89 | | | | | 18089 | .12 | 2609 | 481 | 2128 | 4.3 | | 12 to 18 inches D.B.H. |
| | | 495.9 | 294.1 | 790.0 | 15498 | 15835 | 4729 | 11106 | 4165 | 2549 | 467 | 2082 | 1426 | 2891 | 633 | 2258 | 2486 | 1314 | 409 | 905 | 2482 | 3040 | 912 | 2128 | 83 | 158 | 35 | 123 | 26140 | .71 | 25787 | 7185 | 18602 | 37.5 | | 18 inches D.B.H.and over. |
| | Total | 495.9 | 294.1 | 790.0 | 20894 | 16561 | 4880 | 11681 | 12410 | 3915 | 628 | 3287 | 1764 | 2917 | 637 | 2280 | 5873 | 1677 | 535 | 1142 | 3205 | 3168 | 951 | 2217 | 83 | 158 | 35 | 123 | 44229 | .47 | 28396 | 7666 | 20730 | 41.8 | | 12 inches D.B.H.and over. |
| BLOCK 504 | | 256.6 | 455.0 | 711.6 | 1040 | 136 | 24 | 112 | 351 | 60 | 11 | 49 | 2172 | 229 | 28 | 201 | 9 | 1 | - | 1 | 1298 | 172 | 51 | 121 | 395 | 43 | 8 | 35 | 5265 | .10 | 641 | 122 | 519 | 2.0 | | 12 to 18 inches D.B.H. |
| | | 256.6 | 455.0 | 711.6 | 209 | 135 | 23 | 112 | - | - | - | - | 4055 | 7716 | 1349 | 6367 | - | - | - | - | 1917 | 1440 | 413 | 1027 | 29 | 8 | 1 | 7 | 6210 | 1.21 | 9299 | 1786 | 7513 | 29.3 | | 18 inches D.B.H.and over |
| | Total | 256.6 | 455.0 | 711.6 | 1249 | 271 | 47 | 224 | 351 | 60 | 11 | 49 | 6227 | 7945 | 1377 | 6568 | 9 | 1 | - | 1 | 3215 | 1612 | 464 | 1148 | 424 | 51 | 9 | 42 | 11475 | .70 | 9940 | 1908 | 8032 | 31.3 | | 12 inches D.B.H.and over. |
| BLOCK 274 | | 18.1 | - | 18.1 | 163 | 14 | 5 | 9 | 661 | 50 | 10 | 40 | | | | | 71 | 6 | 2 | 4 | 130 | 9 | 3 | 6 | | | | | 1025 | .06 | 79 | 20 | 59 | 3.3 | | 12 to 18 inches D.B.H. |
| | | 18.1 | - | 18.1 | 170 | 60 | 18 | 42 | 240 | 71 | 14 | 57 | 209 | 198 | 40 | 158 | 111 | 67 | 20 | 47 | 219 | 60 | 18 | 42 | 40 | 18 | 3 | 15 | 989 | .36 | 474 | 113 | 361 | 20.0 | | 18 inches D.B.H.and over. |
| | Total | 18.1 | - | 18.1 | 333 | 74 | 23 | 51 | 901 | 121 | 24 | 97 | 209 | 198 | 40 | 158 | 182 | 73 | 22 | 51 | 349 | 69 | 21 | 48 | 40 | 18 | 3 | 15 | 2014 | .21 | 553 | 133 | 420 | 23.3 | | 12 inches D.B.H.and over. |
| BLOCK 566 | | 116.4 | - | 116.4 | 1180 | 154 | 44 | 110 | 1415 | 367 | 68 | 299 | 42 | 5 | 2 | 3 | 1225 | 105 | 32 | 73 | 210 | 14 | 6 | 8 | | | | | 4072 | .12 | 645 | 152 | 493 | 4.3 | | 12 to 18 inches D.B.H. |
| | | 116.4 | - | 116.4 | 2330 | 2055 | 617 | 1438 | 393 | 273 | 56 | 217 | 263 | 19 | 5 | 14 | 1100 | 388 | 141 | 247 | 715 | 588 | 176 | 412 | 10 | 5 | 2 | 3 | 4811 | .48 | 3328 | 997 | 2331 | 20.0 | | 18 inches D.B.H.and over. |
| | Total | 116.4 | - | 116.4 | 3510 | 2209 | 661 | 1548 | 1808 | 640 | 124 | 516 | 305 | 24 | 7 | 17 | 2325 | 493 | 173 | 320 | 925 | 602 | 182 | 420 | 10 | 5 | 2 | 3 | 8883 | .31 | 3973 | 1149 | 2824 | 24.3 | | 12 inches D.B.H.and over. |
| BLOCK 263 | | 29.6 | 52.4 | 82.0 | 133 | 22 | 2 | 20 | 91 | 15 | 2 | 13 | 330 | 39 | 5 | 34 | | | | | 356 | 49 | 14 | 35 | 2 | 1 | - | 1 | 912 | .11 | 126 | 23 | 103 | 3.5 | | 12 to 18 inches D.B.H. |
| | | 29.6 | 52.4 | 82.0 | 32 | 29 | 5 | 24 | - | - | - | - | 487 | 1127 | 169 | 958 | | | | | 363 | 296 | 89 | 207 | 13 | 4 | 1 | 3 | 895 | 1.34 | 1456 | 264 | 1192 | 40.3 | | 18 inches D.B.H.and over. |
| | Total | 29.6 | 52.4 | 82.0 | 165 | 51 | 7 | 44 | 91 | 15 | 2 | 13 | 817 | 1166 | 174 | 992 | | | | | 719 | 345 | 103 | 242 | 15 | 5 | 1 | 4 | 1807 | .72 | 1582 | 287 | 1295 | 43.8 | | 12 inches D.B.H.and over. |
| | Total | 916.6 | 801.5 | 1718.1 | 7912 | 1052 | 226 | 826 | 10763 | 1858 | 252 | 1606 | 2882 | 299 | 39 | 260 | 4692 | 475 | 160 | 315 | 2717 | 372 | 113 | 259 | 397 | 44 | 8 | 36 | 29363 | .11 | 4100 | 798 | 3302 | 3.6 | | 12 to 18 inches D.B.H. |
| | Total | 916.6 | 801.5 | 1718.1 | 18239 | 18114 | 5392 | 12722 | 4798 | 2893 | 537 | 2356 | 6440 | 11951 | 2196 | 9755 | 3697 | 1769 | 570 | 1199 | 5696 | 5424 | 1608 | 3816 | 175 | 193 | 42 | 151 | 39045 | .77 | 40344 | 10345 | 29999 | 32.7 | | 18 inches D.B.H.and over |
| GRAND TOTAL..... | | 916.6 | 801.5 | 1718.1 | 26151 | 19166 | 5618 | 13548 | 15561 | 4751 | 789 | 3962 | 9322 | 12250 | 2235 | 10015 | 8389 | 2244 | 730 | 1514 | 8413 | 5796 | 1721 | 4075 | 572 | 237 | 50 | 187 | 68408 | .49 | 44444 | 11143 | 33301 | 36.3 | | 12 inches D.B.H.and over. |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

500-11-48. M.P.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE BLOCK 617

12 to 18 inches D.B.H.

DATE DECEMBER 19 48.

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | |
| 1 | 12.0 | 35.2 | 47.2 | 1015 | 114 | 22 | 92 | 30 | 6 | 2 | 4 | 185 | 16 | 3 | 13 | | | | | | | | | | | | | 1250 | .08 | 136 | 27 | 109 | 9.0 | | |
| 2 | 39.2 | 0.8 | 40.0 | 333 | 33 | 7 | 26 | 626 | 176 | 35 | 141 | 20 | 2 | 1 | 1 | 59 | 9 | 3 | 6 | 293 | 45 | 14 | 31 | | | | | 1331 | .15 | 265 | 60 | 205 | 5.2 | | |
| 3 | 26.8 | 13.2 | 40.0 | 175 | 38 | 11 | 27 | 349 | 69 | 7 | 62 | | | | | | | | | 175 | 28 | 8 | 20 | | | | | 699 | .16 | 135 | 26 | 109 | 4.1 | | |
| 4 | | 35.0 | 35.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 4.8 | 14.0 | 18.8 | 19 | 3 | 1 | 2 | 86 | 14 | 1 | 13 | | | | | 29 | 4 | 1 | 3 | | | | | | | | | 134 | .13 | 21 | 3 | 18 | 3.8 | | |
| 7 & 8 | 47.6 | - | 47.6 | 190 | 27 | 8 | 19 | 835 | 142 | 14 | 128 | | | | | 266 | 43 | 13 | 30 | | | | | | | | | 1291 | .14 | 212 | 35 | 177 | 3.7 | | |
| 9&10 | 47.7 | 4.0 | 51.7 | 167 | 24 | 7 | 17 | 573 | 75 | 8 | 67 | | | | | | | | | 96 | 14 | 4 | 10 | | | | | 836 | .11 | 113 | 19 | 94 | 2.0 | | |
| 11 | 19.0 | 21.0 | 40.0 | 66 | 10 | 3 | 7 | 228 | 31 | 4 | 27 | | | | | 36 | 5 | 1 | 4 | | | | | | | | | 330 | .11 | 46 | 8 | 38 | 2.0 | | |
| 12 | 17.0 | 23.0 | 40.0 | 341 | 41 | 7 | 34 | 208 | 17 | 3 | 14 | | | | | 167 | 23 | 8 | 15 | | | | | | | | | 716 | .09 | 81 | 18 | 63 | 3.7 | | |
| 13 | 40.0 | - | 40.0 | 1056 | 164 | 33 | 131 | 144 | 21 | 4 | 17 | | | | | 21 | 4 | 2 | 2 | | | | | | | | | 1221 | .12 | 189 | 39 | 150 | 3.8 | | |
| 14 | 32.4 | 7.6 | 40.0 | 97 | 18 | 6 | 12 | 130 | 25 | 2 | 23 | | | | | 32 | 6 | 2 | 4 | 26 | 21 | 6 | 15 | | | | | 285 | .19 | 70 | 16 | 54 | 1.7 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

500-11-46. M.P.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE — BLOCK 617 cont'd

DATE DECEMBER 1948.

12 to 18 inches D.B.H.

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER OF CEDAR POLES | |
| 15 | 22.5 | 15.4 | 37.9 | 179 | 22 | 2 | 20 | 525 | 146 | 15 | 131 | 120 | 7 | - | 7 | | | | | 120 | 18 | 6 | 12 | | | | | 944 | .18 | 193 | 23 | 170 | 7.6 | | |
| 16 | 2.4 | 19.0 | 21.4 | 19 | 2 | - | 2 | 56 | 16 | 2 | 14 | 13 | 1 | - | 1 | | | | | 13 | 2 | 1 | 1 | | | | | 101 | .18 | 21 | 3 | 18 | 7.5 | | |
| 17 | 3.6 | 15.0 | 18.6 | 27 | 5 | 1 | 4 | 104 | 9 | 1 | 8 | | | | | | | | | | | | | | | | | 131 | .09 | 14 | 2 | 12 | 3.3 | | |
| 18 | 8.8 | 21.8 | 30.6 | 66 | 12 | 4 | 8 | 249 | 24 | 5 | 19 | | | | | 22 | 3 | 1 | 2 | | | | | | | | | 337 | .09 | 39 | 10 | 29 | 3.3 | | |
| 19 | 13.3 | 21.0 | 34.3 | 222 | 35 | 7 | 28 | 133 | 24 | 2 | 22 | | | | | | | | | | | | | | | | | 355 | .14 | 59 | 9 | 50 | 3.8 | | |
| 20 | 40.0 | 1.7 | 41.7 | 758 | 86 | 9 | 77 | 1499 | 214 | 21 | 193 | | | | | 131 | 20 | 6 | 14 | | | | | | | | | 2388 | .12 | 320 | 36 | 284 | 7.1 | | |
| 21 | 40.0 | - | 40.0 | 187 | 23 | 2 | 21 | 960 | 139 | 14 | 125 | | | | | 735 | 74 | 22 | 52 | | | | | | | | | 1880 | .11 | 236 | 38 | 198 | 5.0 | | |
| 22&23 | 47.2 | 4.0 | 51.2 | 236 | 30 | 9 | 21 | 732 | 102 | 10 | 92 | | | | | 1205 | 120 | 48 | 72 | | | | | | | | | 2173 | .09 | 252 | 67 | 185 | 3.9 | | |
| 24&25 | 15.2 | 8.2 | 23.4 | 167 | 27 | 8 | 19 | 121 | 13 | 1 | 12 | | | | | 410 | 33 | 13 | 20 | | | | | | | | | 693 | .07 | 73 | 22 | 51 | 3.4 | | |
| 26 | 18.0 | - | 18.0 | 76 | 12 | 4 | 8 | 341 | 53 | 5 | 48 | | | | | 276 | 19 | 6 | 13 | | | | | | | | | 695 | .10 | 84 | 15 | 69 | 3.8 | | |
| 27 | 5.2 | 4.3 | 9.5 | | | | | 316 | 50 | 5 | 45 | | | | | | | | | | | | | | | | | 316 | .14 | 50 | 5 | 45 | 8.7 | | |
| TOTAL... | 495.9 | 294.1 | 790.0 | 5396 | 726 | 151 | 575 | 8245 | 1366 | 161 | 1205 | 338 | 26 | 4 | 22 | 3387 | 363 | 126 | 237 | 723 | 128 | 39 | 89 | | | | | 18089 | .12 | 2609 | 481 | 2128 | 4.3 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE
18 inches D.B.H. and over.

BLOCK 617.

DATE DECEMBER 1948

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER PER 16.5 POLES | |
| 1 | 12.0 | 35.2 | 47.2 | 61 | 16 | 3 | 13 | 31 | 13 | 3 | 10 | 308 | 74 | 11 | 63 | 30 | 9 | 3 | 6 | | | | | | | | | 430 | .21 | 112 | 20 | 92 | 7.6 | | |
| 2 | 39.2 | 0.8 | 40.0 | 705 | 757 | 227 | 530 | 549 | 472 | 95 | 377 | 196 | 458 | 68 | 390 | 59 | 25 | 7 | 18 | 803 | 998 | 299 | 699 | | | | | 2312 | .87 | 2710 | 696 | 2014 | 51.4 | | |
| 3 | 26.8 | 13.2 | 40.0 | 291 | 312 | 94 | 218 | 204 | 154 | 31 | 123 | 87 | 426 | 85 | 341 | | | | | 408 | 453 | 136 | 317 | | | | | 990 | 1.01 | 1345 | 346 | 999 | 37.2 | | |
| 4 | | 35.0 | 35.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 4.8 | 14.0 | 18.8 | 96 | 92 | 27 | 65 | 31 | 18 | 4 | 14 | 2 | 4 | - | 4 | 48 | 33 | 10 | 23 | | | | | | | | | 177 | .60 | 147 | 41 | 106 | 22.1 | | |
| 7 & 8 | 47.6 | - | 47.6 | 930 | 914 | 274 | 640 | 310 | 180 | 36 | 144 | 24 | 42 | 8 | 34 | 477 | 327 | 98 | 229 | 24 | 13 | 3 | 10 | | | | | 1765 | .60 | 1476 | 419 | 1057 | 22.2 | | |
| 9 &10 | 40.9 | 13.9 | 54.8 | 2300 | 2372 | 712 | 1660 | 203 | 109 | 11 | 98 | 20 | 9 | 2 | 7 | | | | | 306 | 263 | 79 | 184 | | | | | 2829 | .69 | 2753 | 804 | 1949 | 47.6 | | |
| 11 | 19.0 | 21.0 | 40.0 | 1071 | 1103 | 331 | 772 | 90 | 51 | 5 | 46 | 10 | 4 | 1 | 3 | 142 | 122 | 37 | 85 | | | | | | | | | 1313 | .69 | 1280 | 374 | 906 | 47.6 | | |
| 12 | 17.0 | 23.0 | 40.0 | 697 | 772 | 229 | 543 | 185 | 95 | 9 | 86 | 26 | 69 | 14 | 55 | 53 | 16 | 5 | 11 | | | | | | | | | 961 | .72 | 952 | 257 | 695 | 40.9 | | |
| 13 | 40.0 | | 40.0 | 1094 | 1518 | 438 | 1080 | 119 | 205 | 42 | 163 | 48 | 300 | 90 | 210 | | | | | 139 | 296 | 89 | 207 | | | | | 1400 | 1.19 | 2319 | 659 | 1660 | 41.5 | | |
| 14 | 32.4 | 7.6 | 40.0 | 875 | 1079 | 323 | 756 | 162 | 85 | 13 | 72 | 146 | 337 | 67 | 270 | 32 | 16 | 5 | 11 | 461 | 576 | 173 | 403 | | | | | 1676 | .90 | 2093 | 581 | 1512 | 46.7 | | |
| 15 | 22.5 | 15.4 | 37.9 | 75 | 89 | 27 | 62 | 219 | 137 | 14 | 123 | 17 | 27 | 3 | 24 | | | | | 240 | 343 | 103 | 240 | | | | | 551 | .81 | 596 | 147 | 449 | 20.0 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE

BLOCK 617 cont'd

DATE DECEMBER 1948.

18 inches D.B.H. and over

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | |
| 16 | 2.4 | 19.0 | 21.4 | 8 | 10 | 3 | 7 | 22 | 15 | 2 | 13 | 2 | 3 | 1 | 2 | | | | | 26 | 37 | 11 | 26 | | | | | 58 | .83 | 65 | 17 | 48 | 20.0 | | |
| 17 | 3.6 | 15.0 | 18.6 | 9 | 86 | 27 | 59 | 13 | 9 | 4 | 5 | 22 | 36 | 9 | 27 | 23 | 5 | 1 | 4 | 9 | 9 | 4 | 5 | | | | | 76 | 1.31 | 145 | 45 | 100 | 27.8 | | |
| 18 | 8.8 | 21.8 | 30.6 | 17 | 205 | 61 | 144 | 37 | 17 | 3 | 14 | 59 | 88 | 18 | 70 | 51 | 14 | 4 | 10 | 22 | 13 | 3 | 10 | | | | | 186 | 1.33 | 337 | 89 | 248 | 28.1 | | |
| 19 | 13.3 | 21.0 | 34.3 | 622 | 792 | 238 | 554 | 311 | 253 | 51 | 202 | | | | | | | | | 44 | 39 | 12 | 27 | | | | | 977 | .80 | 1084 | 301 | 783 | 58.9 | | |
| 20 | 40.0 | 1.7 | 41.7 | 1479 | 1790 | 537 | 1253 | 737 | 331 | 66 | 265 | 9 | 63 | 21 | 42 | 215 | 282 | 85 | 197 | | | | | | | | | 2440 | .72 | 2466 | 709 | 1757 | 44.0 | | |
| 21 | 40.0 | - | 40.0 | 1680 | 1388 | 416 | 972 | 480 | 206 | 41 | 165 | 120 | 266 | 53 | 213 | 267 | 150 | 45 | 105 | | | | | 13 | 16 | 3 | 13 | 2560 | .55 | 2026 | 558 | 1468 | 36.7 | | |
| 22&23 | 47.2 | 4.0 | 51.2 | 1985 | 1108 | 332 | 776 | 283 | 107 | 21 | 86 | 212 | 472 | 118 | 354 | 307 | 60 | 24 | 36 | | | | | 24 | 29 | 6 | 23 | 2811 | .45 | 1776 | 501 | 1275 | 27.0 | | |
| 24&25 | 15.2 | 8.2 | 23.4 | 715 | 359 | 108 | 251 | 30 | 10 | 2 | 8 | 61 | 66 | 20 | 46 | 441 | 83 | 33 | 50 | | | | | 46 | 113 | 26 | 87 | 1293 | .33 | 631 | 189 | 442 | 29.1 | | |
| 26 | 18.0 | - | 18.0 | 568 | 666 | 200 | 466 | 57 | 46 | 9 | 37 | 57 | 147 | 44 | 103 | 341 | 172 | 52 | 120 | | | | | | | | | 1023 | .71 | 1031 | 305 | 726 | 40.3 | | |
| 27 | 5.2 | 4.3 | 9.5 | 220 | 407 | 122 | 285 | 92 | 36 | 5 | 31 | | | | | | | | | | | | | | | | | 312 | 1.01 | 443 | 127 | 316 | 60.7 | | |
| | 495.9 | 294.1 | 790.0 | 15498 | 15835 | 4729 | 11106 | 4165 | 2549 | 467 | 2082 | 1426 | 2891 | 633 | 2258 | 2486 | 1314 | 409 | 905 | 2482 | 3040 | 912 | 2128 | 83 | 158 | 35 | 123 | 26140 | .71 | 25787 | 7185 | 18602 | 37.5 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

500-11-48. M.P.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE BLOCK 504.

12 to 18 inches D.B.H.

DATE DECEMBER 19 48.

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET VOLUME (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER OF POLES | REMARKS |
| 1 | 38.4 | 7.6 | 46.0 | 171 | 29 | 3 | 26 | 118 | 20 | 3 | 17 | 428 | 50 | 5 | 45 | | | | | 461 | 65 | 19 | 46 | 41 | 6 | 1 | 5 | 1219 | .11 | 170 | 31 | 139 | 3.6 | | |
| 10 | 16.0 | 22.8 | 38.8 | 71 | 13 | 3 | 10 | 50 | 9 | 2 | 7 | 179 | 21 | 2 | 19 | | | | | 192 | 28 | 9 | 19 | 17 | 3 | 1 | 2 | 509 | .11 | 74 | 17 | 57 | 3.6 | | |
| 11 | - | 38.4 | 38.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 16.0 | 24.0 | 40.0 | 52 | 8 | 1 | 7 | 15 | 1 | - | 1 | 84 | 6 | 1 | 5 | | | | | 104 | 11 | 3 | 8 | 15 | 1 | - | 1 | 270 | .08 | 27 | 5 | 22 | 1.4 | | |
| 12A | 5.2 | 18.4 | 23.6 | 23 | 4 | 1 | 3 | 8 | 1 | - | 1 | 19 | 1 | - | 1 | | | | | 29 | 3 | 1 | 2 | 8 | 1 | - | 1 | 87 | .09 | 10 | 2 | 8 | 1.5 | | |
| 13 | 8.8 | 31.2 | 40.0 | 48 | 6 | 1 | 5 | | | | | | | | | | | | | 6 | 1 | - | 1 | | | | | 54 | .11 | 7 | 1 | 6 | 0.7 | | |
| 14 | 16.3 | 23.7 | 40.0 | 44 | 5 | 1 | 4 | 10 | 1 | - | 1 | 45 | 8 | 2 | 6 | | | | | 52 | 10 | 3 | 7 | | | | | 151 | .12 | 24 | 6 | 18 | .11 | | |
| 15 | 11.2 | 24.8 | 36.0 | 88 | 10 | 2 | 8 | 16 | 3 | 1 | 2 | 96 | 13 | 2 | 11 | | | | | 45 | 6 | 2 | 4 | 10 | 1 | - | 1 | 255 | .10 | 33 | 7 | 26 | 2.3 | | |
| 21 | 2.8 | 34.0 | 36.8 | 22 | 2 | - | 2 | | | | | 24 | 3 | - | 3 | | | | | | | | | | | | | 46 | .11 | 5 | - | 5 | 1.8 | | |
| 22 | 30.0 | 10.0 | 40.0 | 236 | 27 | 6 | 21 | 42 | 8 | 2 | 6 | 259 | 36 | 6 | 30 | | | | | 121 | 16 | 5 | 11 | 27 | 3 | 1 | 2 | 685 | .10 | 90 | 20 | 70 | 2.3 | | |
| 23 | 23.6 | 16.4 | 40.0 | 55 | 6 | - | 6 | 24 | 5 | 1 | 4 | 80 | 14 | 1 | 13 | | | | | 86 | 15 | 4 | 11 | 16 | 2 | - | 2 | 261 | .14 | 42 | 6 | 36 | 1.5 | | |
| 24 | 2.8 | 37.2 | 40.0 | 5 | 1 | - | 1 | | | | | 41 | 4 | - | 4 | 9 | 1 | - | 1 | 17 | 2 | 1 | 1 | 49 | 6 | 1 | 5 | 121 | .10 | 14 | 2 | 12 | 4.3 | | |
| 27 | 0.3 | 39.7 | 40.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274

500-11-48. M.P.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE

BLOCK 504 cont'd.

DATE DECEMBER 19 48.

12 to 18 inches D.B.H.

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | |
| 28 | 18.0 | 22.0 | 40.0 | 108 | 10 | 2 | 8 | 68 | 12 | 2 | 10 | 203 | 29 | 2 | 27 | | | | | 27 | 2 | - | 2 | 95 | 13 | 2 | 11 | 501 | .12 | 66 | 8 | 58 | 3.2 | | |
| 29 | 20.8 | 19.2 | 40.0 | 75 | 10 | 2 | 8 | | | | | 105 | 7 | 1 | 6 | | | | | 112 | 10 | 3 | 7 | 10 | 1 | - | 1 | 302 | .07 | 28 | 6 | 22 | 1.1 | | |
| 30 | 18.0 | 22.0 | 40.0 | 15 | 2 | 1 | 1 | | | | | 253 | 15 | 2 | 13 | | | | | 46 | 3 | 1 | 2 | 38 | 2 | 1 | 1 | 352 | .05 | 22 | 5 | 17 | 0.9 | | |
| 33 | 6.0 | 32.0 | 38.0 | | | | | | | | | 84 | 5 | 1 | 4 | | | | | | | | | | | | | 84 | .05 | 5 | 1 | 4 | 0.7 | | |
| 34 | 13.6 | 24.4 | 38.0 | 27 | 3 | 1 | 2 | | | | | 192 | 12 | 2 | 10 | | | | | | | | | 69 | 4 | 1 | 3 | 288 | .05 | 19 | 4 | 15 | 1.1 | | |
| 35 | 8.8 | 7.2 | 16.0 | | | | | | | | | 80 | 5 | 1 | 4 | | | | | | | | | | | | | 80 | .05 | 5 | 1 | 4 | 0.5 | | |
| TOTAL... | 256.6 | 455.0 | 711.6 | 1040 | 136 | 24 | 112 | 351 | 60 | 11 | 49 | 2172 | 229 | 28 | 201 | 9 | 1 | - | 1 | 1298 | 172 | 51 | 121 | 395 | 43 | 8 | 35 | 5265 | .10 | 641 | 122 | 519 | 2.0 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

500-11-48. M.P.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE

BLOCK 504

DATE DECEMBER 1948.

18 inches D.B.H. and over

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER PER POLES | |
| 1 | 38.4 | 7.6 | 46.0 | 41 | 38 | 7 | 31 | | | | | 630 | 1468 | 221 | 1247 | | | | | 469 | 383 | 115 | 268 | 18 | 5 | 1 | 4 | 1158 | 1.34 | 1894 | 344 | 1550 | 40.3 | | |
| 10 | 16.0 | 22.8 | 38.8 | 17 | 15 | 3 | 12 | | | | | 263 | 612 | 92 | 520 | | | | | 194 | 159 | 48 | 111 | 8 | 2 | - | 2 | 482 | 1.34 | 788 | 143 | 645 | 40.3 | | |
| 11 | - | 38.4 | 38.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 16.0 | 24.0 | 40.0 | 13 | 7 | 1 | 6 | | | | | 329 | 283 | 42 | 241 | | | | | 107 | 37 | 8 | 29 | | | | | 449 | .61 | 327 | 51 | 276 | 17.2 | | |
| 12A | 5.2 | 18.4 | 23.6 | 5 | 3 | 1 | 2 | | | | | 100 | 80 | 12 | 68 | | | | | 25 | 7 | 2 | 5 | | | | | 130 | .57 | 90 | 15 | 75 | 14.4 | | |
| 13 | 8.8 | 31.2 | 40.0 | 39 | 25 | 4 | 21 | | | | | 224 | 715 | 179 | 536 | | | | | 48 | 48 | 14 | 34 | | | | | 311 | 1.90 | 788 | 197 | 591 | 67.3 | | |
| 14 | 16.3 | 23.7 | 40.0 | 10 | 5 | 1 | 4 | | | | | 273 | 486 | 97 | 389 | | | | | 237 | 209 | 61 | 148 | | | | | 520 | 1.02 | 700 | 159 | 541 | 33.2 | | |
| 15 | 11.2 | 24.8 | 36.0 | 8 | 5 | 1 | 4 | | | | | 92 | 371 | 55 | 316 | | | | | 119 | 99 | 26 | 73 | | | | | 219 | 1.79 | 475 | 82 | 393 | 35.2 | | |
| 21 | 2.8 | 34.0 | 36.8 | 2 | 1 | - | 1 | | | | | 23 | 93 | 14 | 79 | | | | | 30 | 25 | 7 | 18 | | | | | 55 | 1.78 | 119 | 21 | 98 | 35.0 | | |
| 22 | 30.0 | 10.0 | 40.0 | 21 | 13 | 1 | 12 | | | | | 245 | 993 | 148 | 845 | | | | | 320 | 266 | 70 | 196 | | | | | 586 | 1.80 | 1272 | 219 | 1053 | 35.1 | | |
| 23 | 23.6 | 16.4 | 40.0 | 31 | 10 | 1 | 9 | | | | | 316 | 1035 | 207 | 828 | | | | | 241 | 171 | 51 | 120 | | | | | 588 | 1.62 | 1216 | 259 | 957 | 40.5 | | |
| 24 | 2.8 | 37.2 | 40.0 | | | | | | | | | 148 | 126 | 20 | 106 | | | | | | | | | 3 | 1 | 0 | 1 | 151 | .71 | 127 | 20 | 107 | 38.2 | | |
| 27 | 0.3 | 39.7 | 40.0 | | | | | | | | | 3 | 9 | 2 | 7 | | | | | | | | | | | | | 3 | 2.30 | 9 | 2 | 7 | 23.3 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE
18 inches D.B.H. and over

BLOCK 504 cont'd

DATE DECEMBER 1948

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER PER POLES | REMARKS |
| 28 | 18.0 | 22.0 | 40.0 | | | | | | | | | 166 | 522 | 104 | 418 | | | | | 27 | 18 | 6 | 12 | | | | | 193 | 2.23 | 540 | 110 | 430 | 23.9 | | |
| 29 | 20.8 | 19.2 | 40.0 | 22 | 13 | 3 | 10 | | | | | 434 | 628 | 97 | 531 | | | | | 77 | 17 | 5 | 12 | | | | | 533 | 1.28 | 658 | 105 | 553 | 26.6 | | |
| 30 | 18.0 | 22.0 | 40.0 | | | | | | | | | 316 | 115 | 23 | 92 | | | | | 23 | 1 | - | 1 | | | | | 339 | .27 | 116 | 23 | 93 | 5.2 | | |
| 33 | 6.0 | 32.0 | 38.0 | | | | | | | | | 105 | 38 | 8 | 30 | | | | | | | | | | | | | 105 | .29 | 38 | 8 | 30 | 5.1 | | |
| 34 | 13.6 | 24.4 | 38.0 | | | | | | | | | 236 | 86 | 17 | 69 | | | | | | | | | | | | | 236 | .29 | 86 | 17 | 69 | 5.1 | | |
| 35 | 8.8 | 7.2 | 16.0 | | | | | | | | | 152 | 56 | 11 | 45 | | | | | | | | | | | | | 152 | .30 | 56 | 11 | 45 | 5.1 | | |
| | 256.6 | 455.0 | 711.6 | 209 | 135 | 23 | 112 | | | | | 4055 | 7716 | 1349 | 6367 | | | | | 1917 | 1440 | 413 | 1027 | 29 | 8 | 1 | 7 | 6210 | 1.21 | 9299 | 1786 | 7513 | 29.3 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE BLOCK 274, 566, 263

DATE DECEMBER 19 48.

12 to 18 inches D.B.H.

| AREA NUMBER | ACRES OF | | | HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MERCHANTABLE | NON-COMMERCIAL | TOTAL | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | |
| **BLOCK 274** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 18.1 | | | 163 | 14 | 5 | 9 | 661 | 50 | 10 | 40 | | | | | 71 | 6 | 2 | 4 | 130 | 9 | 3 | 6 | | | | | 1025 | .06 | 79 | 20 | 59 | 3.3 | | |
| **BLOCK 566** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 116.4 | | | 1180 | 154 | 44 | 110 | 1415 | 367 | 68 | 299 | 42 | 5 | 2 | 3 | 1225 | 105 | 32 | 73 | 210 | 14 | 6 | 8 | | | | | 4072 | .12 | 645 | 152 | 493 | 4.3 | | |
| **BLOCK 263** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 27.6 | 14.4 | 42.0 | 124 | 20 | 2 | 18 | 85 | 14 | 2 | 12 | 308 | 36 | 4 | 32 | | | | | 332 | 46 | 13 | 33 | | | | | 849 | .11 | 116 | 21 | 95 | 3.4 | | |
| 3 | 2.0 | 38.0 | 40.0 | 9 | 2 | - | 2 | 6 | 1 | - | 1 | 22 | 3 | 1 | 2 | | | | | 24 | 3 | 1 | 2 | 2 | 1 | - | 1 | 63 | .13 | 10 | 2 | 8 | 4.0 | | |
| | 29.6 | 52.4 | 82.0 | 133 | 22 | 2 | 20 | 91 | 15 | 2 | 13 | 330 | 39 | 5 | 34 | | | | | 356 | 49 | 14 | 35 | 2 | 1 | - | 1 | 912 | .11 | 126 | 23 | 103 | 3.5 | | |

Y, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE

18 inches D.B.H. and over.

BLOCK 274, 566, 263.

DATE DECEMBER 19

| HEMLOCK | | | | BALSAM | | | | FIR | | | | CYPRESS | | | | CEDAR | | | | WHITE PINE | | | | TOTAL | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | NUMBER OF TREES | AVERAGE NET PER TREE (M.B.M.) | GROSS VOLUME (M.B.M.) | BREAKAGE & CULL (M.B.M.) | NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | REMARKS |
| | | | | | | | | | | | | | | BLOCK 274. | | | | | | | | | | | | | | | | | |
| 170 | 60 | 18 | 42 | 240 | 71 | 14 | 57 | 209 | 198 | 40 | 158 | 111 | 67 | 20 | 47 | 219 | 60 | 18 | 42 | 40 | 18 | 3 | 15 | 989 | .36 | 474 | 113 | 361 | 20.0 | | |
| | | | | | | | | | | | | | | BLOCK 566. | | | | | | | | | | | | | | | | | |
| 2330 | 2055 | 617 | 1438 | 393 | 273 | 56 | 217 | 263 | 19 | 5 | 14 | 1100 | 388 | 141 | 247 | 715 | 588 | 176 | 412 | 10 | 5 | 2 | 3 | 4811 | .48 | 3328 | 997 | 2331 | 20.6 | | |
| | | | | | | | | | | | | | | BLOCK 263. | | | | | | | | | | | | | | | | | |
| 0 30 | 27 | 5 | 22 | | | | | 454 | 1051 | 158 | 893 | | | | | 338 | 276 | 83 | 193 | 13 | 4 | 1 | 3 | 835 | 1.33 | 1358 | 247 | 1111 | 40.3 | | Based on Tally, |
| | | | | | | | | | | | | | | | | | | | | | | | | 60 | 1.35 | 98 | 17 | 81 | 40.4 | | of Forty #1 Block 504. |
| 0 2 | 2 | - | 2 | | | | | 33 | 76 | 11 | 65 | | | | | 25 | 20 | 6 | 14 | | | | | | | | | | | | |
| 0 32 | 29 | 3 | 24 | | | | | 487 | 1127 | 169 | 958 | | | | | 363 | 296 | 89 | 207 | 13 | 4 | 1 | 3 | 895 | 1.34 | 1456 | 264 | 1192 | 40.3 | | |

PROJECT INVENTORY, BLOCKS 504, 263, 617, 566, 274.

SPECIFY AREA SUMMARIZED ON THIS SHEET BY LOT, LICENSE, ETC., AND LAND DISTRICT IF APPLICABLE
18 inches D.B.H. and over.

BLOCK 274, 566, 263.


DATE DECEMBER 19

| AREA NUMBER | ACRES OF MERCHANTABLE | ACRES OF NON-COMMERCIAL | ACRES OF TOTAL | HEMLOCK NUMBER OF TREES | HEMLOCK GROSS VOLUME (M.B.M.) | HEMLOCK BREAKAGE & CULL (M.B.M.) | HEMLOCK NET VOLUME (M.B.M.) | BALSAM NUMBER OF TREES | BALSAM GROSS VOLUME (M.B.M.) | BALSAM BREAKAGE & CULL (M.B.M.) | BALSAM NET VOLUME (M.B.M.) | FIR NUMBER TREES | FIR GROSS VOLUME (M.B.M.) | FIR BREAKAGE & CULL (M.B.M.) | FIR NET VOLUME (M.B.M.) | CYPRESS NUMBER OF TREES | CYPRESS GROSS VOLUME (M.B.M.) | CYPRESS BREAKAGE & CULL (M.B.M.) | CYPRESS NET VOLUME (M.B.M.) | CEDAR NUMBER OF TREES | CEDAR GROSS VOLUME (M.B.M.) | CEDAR BREAKAGE & CULL (M.B.M.) | CEDAR NET VOLUME (M.B.M.) | WHITE PINE NUMBER OF TREES | WHITE PINE GROSS VOLUME (M.B.M.) | WHITE PINE BREAKAGE & CULL (M.B.M.) | WHITE PINE NET VOLUME (M.B.M.) | TOTAL NUMBER OF TREES | TOTAL AVERAGE NET PER TREE (M.B.M.) | TOTAL GROSS VOLUME (M.B.M.) | TOTAL BREAKAGE & CULL (M.B.M.) | TOTAL NET VOLUME (M.B.M.) | AVERAGE PER ACRE (M.B.M.) | NUMBER CEDAR POLES | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **BLOCK 274.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 18.1 | | | 170 | 60 | 18 | 42 | 240 | 71 | 14 | 57 | 209 | 198 | 40 | 158 | 111 | 67 | 20 | 47 | 219 | 60 | 18 | 42 | 40 | 18 | 3 | 15 | 989 | .36 | 474 | 113 | 361 | 20.0 | | |
| **BLOCK 566.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 116.4 | | | 2330 | 2055 | 617 | 1438 | 393 | 273 | 56 | 217 | 263 | 19 | 5 | 14 | 1100 | 388 | 141 | 247 | 715 | 588 | 176 | 412 | 10 | 5 | 2 | 3 | 4811 | .48 | 3328 | 997 | 2331 | 20.0 | | |
| **BLOCK 263.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 27.6 | 14.4 | 42.0 | 30 | 27 | 5 | 22 | | | | | 454 | 1051 | 158 | 893 | | | | | 338 | 276 | 83 | 193 | 13 | 4 | 1 | 3 | 835 | 1.33 | 1358 | 247 | 1111 | 40.3 | | Based on Tally, |
| 3 | 2.0 | 38.0 | 40.0 | 2 | 2 | - | 2 | | | | | 33 | 76 | 11 | 65 | | | | | 25 | 20 | 6 | 14 | | | | | 60 | 1.35 | 98 | 17 | 81 | 40.4 | | Block 504. |
| TOTAL... | 29.6 | 52.4 | 82.0 | 32 | 29 | 3 | 24 | | | | | 487 | 1127 | 169 | 958 | | | | | 363 | 296 | 89 | 207 | 13 | 4 | 1 | 3 | 895 | 1.34 | 1456 | 264 | 1192 | 40.3 | | |

INV


BLOC


267, 274, 2



# VENTORY OF TIMBER
in
# CKS 198, 234, 256, 263,
# 276, 504, 566, 617, and LOT 88
## NEWCASTLE DISTRICT

Scale : 20 chains to 1 inch






## SPECIFICATION

This inventory is based on a 5% examination of Blocks 617 and 568 and a 10% examination of Blocks 504 and 274. All planimetric detail shown on this map was plotted from vertical air photographs taken by the Royal Canadian Air Force on 8 September 1945 and by Aero Surveys Limited on 22 November 1948. All such data were checked on the ground consistent with the intensity of the field examination. Photo interpretation was by C.D. Schultz and Company Limited. Planimetric mapping was by Aero Surveys Limited. Horizontal control, in the field, was by box compass and topographic chain. All field examination strips were tied to official land survey corner posts in the field.

FOR:

NORRIS AND BALDWIN
BARRISTERS AND SOLICITORS
VANCOUVER, B.C.

BY:

C.D.SCHULTZ AND COMPANY LIMITED
FORESTERS AND FOREST ENGINEERS
VANCOUVER, B.C.

David R. Bakewell
D.R. BAKEWELL

C.W. Walker
C.W. WALKER

C. D. Schultz
C.D.SCHULTZ

BK 198

LOGGED

BK 267

2ND GR.

BURNED

SCRUB

BK 256

2ND GR.

ILFRED (COAL) CREEK

2ND GR.

BK 223

LOGGED

276

LOGGED

2ND GR.

2ND GR.

2ND GR.

2ND GR.

BLOCK 30

SCRUB & ROCK

E & N LAND

2ND GR.

LOT 12

A9260

LOT 6

MUD BAY

A.S.

tcd

tcd

LOT 87

TRANSMISSION LINE

tcd

LOT 15

2ND GR.

LOGGED

A.S. 42

A9261

RAILWAY

HIGHWAY

## LEGEND

- Survey lines
- Forty lines
- Corner posts located
- Timber type boundaries
- Control points
- Truck roads
- Rail roads
- Rail roads (abandoned)
- Photographic flights (A.S. 42 — 11 (Photo No.) — 12)
- Bluffs
- Swamp
- Cat roads

## ABBREVIATIONS

| | |
|---|---|
| Mature coniferous timber | Tc |
| Immature coniferous timber | tc |
| " deciduous " | td |
| " deciduous and coniferous timber | tcd |
| Seed trees | S.T. |
| Non commercial cover | N.C.C. |
| Second growth timber | 2ND GR. |
| Felled and bucked | F & B |
| Scrub | X |
| Fir | F |
| Hemlock | H |
| Cedar | C |
| Balsam | B |
| White Pine | Pw |

## COLOUR CHART

Merchantable Timber
- a. Mature
- b. Scattered mature
- c. Second growth
- d. Second growth and seed trees

Reproduction

Felled and bucked

Logged and/or burned (prior to September 1945)

Logged (September 1945 to date)

Scrub

Non commercial cover - seed trees, brush etc.

Swamp

Water

| | NAME | DATE |
|---|---|---|
| DRAWN BY | D.A.B. | DEC. 48 |
| TRACED BY | J.N.B. | " " |
| CHECKED BY | C.W.W. | " " |
| COLOURED BY | J.N.B. | JAN 49 |